JOURNAL OF ZOOLOGY

Volume 258 Contents

Part 1, September 2002

Fernández, N., Palomares, F. and Delibes, M., The use of breeding dens and kitten development in the Iberian lynx (*Lynx pardinus*) 1

Arnold, E. N., Azar, D., Ineich, I. and Nel, A., The oldest reptile in amber: a 120 million year old lizard from Lebanon 7

Morton, B., The biology and functional morphology of *Humphreyia strangei* (Bivalvia: Anomalodesmata: Clavagellidae): an Australian cemented 'watering pot' shell 11

Martins, A. G., Netto, N. T., Aulagnier, S., Borges, A., Dubois, M., Vicente, L., Gerard, J.-F. and Maublanc, M.-L., Population subdivision among mouflon sheep (*Ovis gmelini*) ewes and ranging behaviour of rams during the rut 27

Shimmin, G. A., Taggart, D. A. and Temple-Smith, P. D., Mating behaviour in the agile antechinus *Antechinus agilis* (Marsupialia: Dasyuridae) 39

Page, B., Goldsworthy, S. D., Hindell, M. A. and Mckenzie, J., Interspecific differences in male vocalizations of three sympatric fur seals (*Arctocephalus* spp.) 49

Losos, J. B., Creer, D. A. and Schulte, J. A., II., Cautionary comments on the measurement of maximum locomotor capabilities 57

Brown, G. P. and Shine, R., Reproductive ecology of a tropical natricine snake, *Tropidonophis mairii* (Colubridae) 63

Herring, P. J., Dilly, P. N. and Cope, C., The photophores of the squid family Cranchiidae (Cephalopoda: Oegopsida) 73

Russo, D. and Jones, G., Identification of twenty-two bat species (Mammalia: Chiroptera) from Italy by analysis of time-expanded recordings of echolocation calls 91

Noren, S. R., Lacave, G., Wells, R. S. and Williams, T. M., The development of blood oxygen stores in bottlenose dolphins (*Tursiops truncatus*): implications for diving capacity 105

Loman, J., Temperature, genetic and hydroperiod effects on metamorphosis of brown frogs *Rana arvalis* and *R. temporaria* in the field 115

Abernethy, K. A., White, L. J. T. and Wickings, E. J., Hordes of mandrills (*Mandrillus sphinx*): extreme group size and seasonal male presence 131

Part 2, October 2002

Andreone, F. and Greer, A. E., Malagasy scincid lizards: descriptions of nine new species, with notes on the morphology, reproduction and taxonomy of some previously described species (Reptilia, Squamata: Scincidae) 139

Nauwelaerts, S. and Aerts, P., Two distinct gait types in swimming frogs 183

Maheswaran, G. and Rahmani, A. R., Foraging behaviour and feeding success of the black-necked stork (*Ephippiorhynchus asiaticus*) in Dudwa National Park, Uttar Pradesh, India 189

Laws, R. M., Baird, A. and Bryden, M. M., Age estimation in crabeater seals (*Lobodon carcinophagus*) 197

Reilly, J., Growth in the Sumatran elephant (*Elephas maximus sumatranus*) and age estimation based on dung diameter 205

Bank, M. S., Sarno, R. J., Campbell, N. K. and Franklin, W. L., Predation of guanacos (*Lama guanicoe*) by southernmost mountain lions (*Puma concolor*) during a historically severe winter in Torres del Paine National Park, Chile 215

Mendoza, M., Janis, C. M. and Palmqvist, P., Characterizing complex craniodental patterns related to feeding behaviour in ungulates: a multivariate approach 223

Valenzuela, D. and Macdonald, D. W., Home-range use by white-nosed coatis (*Nasua narica*): limited water and a test of the resource dispersion hypothesis 247

Tutt, K., Daugherty, C. H. and Gibbs, G. W., Differential life-history characteristics of male and female *Peripatoides novaezealandiae* (Onychophora: Peripatopsidae) 257

Watling, J. I. and Donnelly, M. A., Seasonal patterns of reproduction and abundance of leaf litter frogs in a Central American rainforest 269

Part 3, November 2002

Boyd, I. L., The cost of information: should black rhinos be immobilized? 277
Atkinson, M. W., Toit, R. du, Radcliffe, R. W., Dooley, J. L., Jr. and Kock, M. D., Response to Alibhai, Jewell and Towindo 278
Alibhai, S. K. and Jewell, Z. C., Response to Atkinson, du Toit, Radcliffe, Dooley and Kock 279
Bontadina, F., Schofield, H. and Naef-Daenzer, B., Radio-tracking reveals that lesser horseshoe bats (*Rhinolophus hipposideros*) forage in woodland 281
Tokeshi, M., Spatial distribution of a deep-sea crinoid *Pentametrocrinus tuberculatus* in the Izu-Ogasawara Arc, western Pacific 291
Thulin, C.-G. and Tegelström, H., Biased geographical distribution of mitochondrial DNA that passed the species barrier from mountain hares to brown hares (genus *Lepus*): an effect of genetic incompatibility and mating behaviour? 299
Sherman, P. W. and Jarvis, J. U. M., Extraordinary life spans of naked mole-rats (*Heterocephalus glaber*) 307
Virgós, E., Are habitat generalists affected by forest fragmentation? A test with Eurasian badgers (*Meles meles*) in coarse-grained fragmented landscapes of central Spain 313
Fernández, M. J., López-Calleja, M. V. and Bozinovic, F., Interplay between the energetics of foraging and thermoregulatory costs in the green-backed firecrown hummingbird *Sephanoides sephaniodes* 319
Van Damme, R. and Vanhooydonck, B., Speed versus manoeuvrability: association between vertebral number and habitat structure in lacertid lizards 327
Gordos, M. and Franklin, C. E., Diving behaviour of two Australian bimodally respiring turtles, *Rheodytes leukops* and *Emydura macquarii*, in a natural setting 335
Bradshaw, S. D. and Bradshaw, F. J., Short-term movements and habitat use of the marsupial honey possum (*Tarsipes rostratus*) 343
Khokhlova, I. S., Krasnov, B. R., Kam, M., Burdelova, N. I. and Degen, A. A., Energy cost of ectoparasitism: the flea *Xenopsylla ramesis* on the desert gerbil *Gerbillus dasyurus* 349
Hood, W. R., Bloss, J. and Kunz, T. H., Intrinsic and extrinsic sources of variation in size at birth and rates of postnatal growth in the big brown bat *Eptesicus fuscus* (Chiroptera: Vespertilionidae) 355
Kryštufek, B., Cranial variability in the Eastern hedgehog *Erinaceus concolor* (Mammalia: Insectivora) 365
Shang, H., Chen, Z. and Song, W., Species separation among seven *Euplotes* spp. (Protozoa: Ciliophora: Hypotrichida) using PCR/RFLP analysis of nuclear ribosomal DNA 375
De Smet, W. H., A new record of *Limnognathia maerski* Kristensen & Funch, 2000 (Micrognathozoa) from the subantarctic Crozet Islands, with redescription of the trophi 381
Martins, H., Milne, J. A. and Rego, F., Seasonal and spatial variation in the diet of the wild rabbit (*Oryctolagus cuniculus* L.) in Portugal 395
Meers, M. B., Cross-sectional geometric properties of the crocodylian humerus: an exception to Wolff's Law? 405

Part 4, December 2002

Cunha, A. A. and Vieira, M. V., Support diameter, incline, and vertical movements of four didelphid marsupials in the Atlantic forest of Brazil 419
Pike, A. V. L. and Alexander, R. McN., The relationship between limb-segment proportions and joint kinematics for the hind limbs of quadrupedal mammals 427
Krenz, J. D. and Verrell, P. A., Integrity in the midst of sympatry: does sexual incompatability facilitate the coexistence of metamorphic and paedomorphic mole salamanders (*Ambystoma talpoideum*)? 435
Rubolini, D., Massi, A. and Spina, F., Replacement of body feathers is associated with low pre-migratory energy stores in a long-distance migratory bird, the barn swallow (*Hirundo rustica*) 441
Guarino, F., Spatial ecology of a large carnivorous lizard, *Varanus varius* (Squamata: Varanidae) 449
Selås, V., Framstad, E. and Spidsø, T. K., Effects of seed masting of bilberry, oak and spruce on sympatric populations of bank vole (*Clethrionomys glareolus*) and wood mouse (*Apodemus sylvaticus*) in southern Norway 459
Shimmin, G. A., Skinner, J. and Baudinette, R. V., The warren architecture and environment of the southern hairy-nosed wombat (*Lasiorhinus latifrons*) 469
Wycherley, J., Doran, S. and Beebee, T. J. C., Frog calls echo microsatellite phylogeography in the European pool frog (*Rana lessonae*) 479
Lammers, A. R. and German, R. Z., Ontogenetic allometry in the locomotor skeleton of specialized half-bounding mammals 485
Bojat, N. C. and Haase, M., Sperm storage in the simultaneously hermaphroditic land snail *Arianta arbustorum* 497
Gowland, F. C., Boyle, P. R. and Noble, L. R., Morphological variation provides a method of estimating thermal niche in hatchlings of the squid *Loligo forbesi* (Mollusca: Cephalopoda) 505
Steinheim, G., Mysterud, A., Holand, Ø., Bakken, M. and Ådnøy, T., The effect of initial weight of the ewe on later reproductive effort in domestic sheep (*Ovis aries*) 515
Saito, T., Uchida, I. and Takeda, M., Skeletal growth of the deep-sea hexactinellid sponge *Euplectella oweni*, and host selection by the symbiotic shrimp *Spongicola japonica* (Crustacea: Decapoda: Spongicolidae) 521
Seah, W. K. and Li, D., Stabilimentum variations in *Argiope versicolor* (Araneae: Araneidae) from Singapore 531
Alibardi, L., Immunocytochemical analysis of the process of keratinization of the epidermis of snakes 541